

FNIHB Nursing Drug Codes 2011 (*Weeneebayko Area Health Authority Formulary*)

Code	Definition
A:	RN provided, based on an assessment of the client's health history, disease, condition, stage of life and individual circumstances. No limitation on duration of treatment.
B:	Physician or nurse practitioner prescribed, based on consultation. Duration and frequency specified by physician or nurse practitioner.
B+:	In an emergency situation where an immediate urgent and critical health concern may seriously endanger or threaten the life, health or safety of the client and where immediate access to a physician/dentist is not available, registered nurses are authorized to administer a maximum of one dose of a controlled substance, pending communication with a physician/dentist if the following criteria are present: 1. The nurse has the knowledge, skill and judgement to determine whether the client's condition warrants the use of a controlled substance 2. The nurse knows the risks and benefits to the client; and 3. The nurse can reasonably predict the outcome.
C:	RN may provide one course. A course is defined as several successive doses of medication over time. The time is the period that the specific drug is expected to produce therapeutic effects. If the client's symptoms recur, the condition does not resolve or first-line therapy fails, the nurse will consult a physician or nurse practitioner. If further medication is needed, a physician or nurse practitioner order is required.
D:	RN may provide one dose, reassess client and consult physician or nurse practitioner if further treatment is required.
T:	Note: T = Heart symbol in FNIHB Nursing Station Formulary and Drug Classification System <i>To be given only with appropriate training and equipment.</i>

Generic Name	Dosage Forms	Nurse Code
Acarbose	Tablet, oral: 50 mg	
Acetaminophen	Solution, oral: 160 mg/5 mL Solution, oral [drops]: 80 mg/mL Suppository, rectal: 120 mg, 325 mg, 650 mg Tablet, oral: 325 mg Tablet, oral: 500 mg Tablet, chewable, oral: 80 mg, 160 mg	Code A
Acetaminophen, Codeine, and Caffeine	Tablet, oral: Acetaminophen 300 mg, codeine phosphate 15 mg, and caffeine 15 mg Acetaminophen 300 mg, codeine phosphate 30 mg, and caffeine 15 mg	Code B+
AcetaZOLAMIDE	Tablet, oral: 250 mg	Code B
Acetylcysteine	Injection, solution [preservative free]: 20% [200 mg/mL] (30 mL)	Code C
Acetylsalicylic Acid	Suppository, rectal [WGH (MF) only]: 150 mg Tablet, chewable, oral: 80 mg Tablet, enteric coated, oral: 80 mg Tablet, enteric coated, oral [WGH (MF) only]: 325 mg	Code A
Acetylsalicylic Acid and Dipyridamole	Capsule, variable release: Aggrenox®: Acetylsalicylic acid 25 mg [immediate release] and dipyridamole 200 mg [extended release] [contains lactose, sucrose]	
Acyclovir (Systemic)	Capsule, oral: 200 mg Injection, solution : 50 mg/mL (10 mL) Suspension, oral [WGH (MF) only]: 200 mg/5 mL (125 mL) Tablet, oral [WGH (MF) only]: 800 mg	Code B
Adenosine	Injection, solution: 3 mg/mL (2 mL, 4 mL)	Codes B, T
Aerochamber (MDI Spacer Device)	Infant with mask Pediatric with mask Adult with mask Adult without mask	Code A
Alcohol (Ethyl)	Injection, solution [dehydrated]: 100% (10 mL)	Code B
Alcohol (Isopropyl)	Solution: 70%	
Alendronate	Tablet, oral: 70 mg	
Allopurinol	Tablet, oral: 100 mg, 300 mg	
Aloe	Gel, topical: 240 mL	
Alteplase	Injection, powder for reconstitution [recombinant]: Cathflo®: 2 mg	
Aluminum Acetate	Powder: 0.35% [packet, contains benzethonium chloride] [2.36 g powder dissolved in 450 mL water provides 0.35% solution]	Code A (topical)
Aluminum Hydroxide and Magnesium Hydroxide	Suspension, oral: Aluminum hydroxide 200 mg and magnesium hydroxide 200 mg per 5 mL (360 mL)	Code A
Amantadine	Capsule, oral, as hydrochloride: 100 mg	
Aminophylline	Injection, solution, as dihydrate: 50 mg/mL (10 mL)	
5-Aminosalicylic Acid	Capsule, controlled release, oral: Pentasa®: 500 mg Tablet, delayed release, enteric coated, oral: Asacol®: 400 mg	
Amiodarone	Injection, solution, as hydrochloride: 50 mg/mL (3 mL) Tablet, oral, as hydrochloride [WGH (MF) only]: 200 mg	Codes B+, T
Amitriptyline	Tablet, oral, as hydrochloride: 10 mg, 25 mg	Code B

Generic Name	Dosage Forms	Nurse Code
AmLODIPine	Tablet, oral: 5 mg Tablet, oral [WGH (MF) only]: 10 mg	Code B
Amoxicillin	Capsule, oral: 250 mg, 500 mg Powder for suspension, oral: 125 mg/5 mL, 250 mg/5 mL	Code C
Amoxicillin and Clavulanate Potassium	Powder for oral suspension, oral: 125: Amoxicillin 125 mg and clavulanate potassium 31.25 mg per 5 mL (ratio 4:1) 250: Amoxicillin 250 mg and clavulanate potassium 62.5 mg per 5 mL (ratio 4:1) Tablet, oral: 875: Amoxicillin 875 mg and clavulanate potassium 125 mg (ratio 7:1)	Code C
Amphotericin B (Conventional)	Injection, powder for reconstitution, as desoxycholate: Fungizone®: 50 mg	
Ampicillin	Injection, powder for reconstitution, as sodium [strength expressed as base]: 250 mg, 500 mg, 1 g	Code D
Ascorbic Acid	Tablet, oral: 500 mg	
Atenolol	Tablet, oral: 50 mg	
Atorvastatin	Tablet, oral: Lipitor®: 10 mg Lipitor® [WGH (MF), MS, FA, ATT]: 20 mg, 40 mg	
Atracurium	Injection, solution, as besylate: 10 mg/mL (10 mL)	
Atropine	Injection, solution, as sulfate: 0.1 mg/mL (10 mL preloaded syringe) 0.4 mg/mL (1 mL ampule) Injection, solution, as sulfate [WGH (MF) only]: 0.6 mg/mL (1 mL ampule)	Code D (injection)
AzaTHIOprine	Tablet, oral: 50 mg	
Azithromycin (Systemic)	Injection: 500 mg Powder for suspension, oral: 200 mg/5 mL Tablet, oral: 250 mg	Codes B (injection), B/C (oral)
Bacitracin and Polymyxin B	Ointment, ophthalmic: Bacitracin 500 units and polymyxin B 10,000 units per g (3.5 g) Ointment, topical: Bacitracin 500 units and polymyxin B 10,000 units per g (15 g)	Code A (topical ointment)
Baclofen	Tablet, oral: 10 mg	
Balanced Salt Solution (Irrigation, Ophthalmic)	Solution, ophthalmic [irrigation; preservative free]: BSS®: Sodium chloride 0.64%, potassium chloride 0.075%, calcium chloride 0.048%, magnesium chloride 0.03%, sodium acetate 0.39%, sodium citrate 0.17% (15 mL)	
BCG	Injection, powder for reconstitution: 1.5 mg vial + 1.5 mL vial of diluent	
Belladonna and Opium	Suppository: Belladonna extract 15 mg and opium 65 mg	
Benztropine	Injection, solution, as mesylate: 1 mg/mL (2 mL) Tablet, oral, as mesylate: 2 mg	Codes B (tablet), D (injection)
Betahistine	Tablet: Serc®: 16 mg	

Generic Name	Dosage Forms	Nurse Code
Betamethasone	Cream, topical, as valerate [strength expressed as base]: 0.05%, 0.1% Injection, suspension: Betamethasone sodium phosphate 3 mg and betamethasone acetate 3 mg per 1 mL (5 mL) [total: 6 mg/mL] Lotion, topical, as valerate [strength expressed as base] [WGH (MF), MS, FA, ATT only]: 0.1% Ointment, topical, as valerate [strength expressed as base] [WGH (MF), MS, FA, ATT only]: 0.1%	Code C (Topical)
Betaxolol (Ophthalmic)	Suspension, ophthalmic [drops]: Betoptic S®: 0.25%	
Bethanechol	Tablet, oral, as chloride: 25 mg	
Bicalutamide	Tablet, oral: 50 mg	
Bisacodyl	Suppository, rectal: 10 mg Tablet, enteric coated, oral: 5 mg	
Brimonidine (Ophthalmic)	Solution, ophthalmic, as tartrate [drops]: 0.2% (5 mL)	
Bromocriptine	Tablet, oral: 2.5 mg	
Budesonide (Oral Inhalation)	Powder, for oral inhalation: Pulmicort Turbuhaler® [WGH (MF) only]: 200 mcg/inhalation Suspension, for nebulization: 0.25 mg/mL (2 mL) Suspension, for nebulization [WGH (MF) only]: 0.5 mg/mL (2 mL)	Code B
Bupivacaine	Injection, solution, as hydrochloride: 0.25% [2.5 mg/mL] (20 mL); 0.5% [5 mg/mL] (20 mL) Injection, solution, premixed in D8.25W, as hydrochloride [preservative free]: Bupivacaine Spinal: 0.75% [7.5 mg/mL] (2 mL)	
Bupivacaine and Epinephrine	Injection, solution [preservative free]: Bupivacaine hydrochloride 0.25% and epinephrine 1:200,000 Bupivacaine hydrochloride 0.5% and epinephrine 1:200,000	
Calamine	Suspension, topical: Calamine 0.4 mL, bentonite 80 mg, glycerin 0.02 mL, and zinc oxide 80 mg per 1 mL	Code A
Calcitriol	Capsule, softgel, oral: 0.25 mcg Solution, oral: 1 mcg/mL (15 mL)	
Calcium Carbonate	Tablet, oral: 1250 mg [equivalent to elemental calcium 500 mg]	
Calcium Chloride	Injection, solution: 10% (10 mL) [equivalent to elemental calcium 27.2 mg (1.36 mEq)/mL]	Code B
Calcium Glucoheptonate and Gluconate (Oral)	Syrup, oral: 110 mg/5 mL (22 mg elemental calcium per mL)	
Calcium Gluconate (Injection)	Injection, solution [preservative free]: 10% [1 g/10 mL] (10 mL)	Code B
Captopril	Tablet, oral: 25 mg	
CarBAMazepine	Tablet, oral: 200 mg Tablet, chewable, oral [WGH (MF) only]: 100 mg Tablet, extended release [CR], oral [WGH (MF), FA, ATT]: 200 mg	
Carboprost Tromethamine	Injection, solution [strength expressed as base]: Hemabate®: 250 mcg/mL (1 mL) [contains benzyl alcohol]	
Carvedilol	Tablet, oral: 3.125 mg, 12.5 mg	
CeFAZolin	Injection, powder for reconstitution: 1 g	Code D
Cefixime	Tablet, oral: 400 mg	Code D

Generic Name	Dosage Forms	Nurse Code
Cefotaxime	Injection, powder for reconstitution: 1 g	
Cefprozil	Powder for suspension, oral: 125 mg/5 mL (75 mL); 250 mg/5 mL (75 mL)	
CefTAZidime	Injection, powder for reconstitution: 1 g	
CefTRIAxone	Injection, powder for reconstitution [WGH (MF) only]: 250 mg Injection, powder for reconstitution: 1 g	Code B
Cefuroxime	Injection, powder for reconstitution: 750 mg Tablet, oral, as axetil [strength expressed as base]: 250 mg, 500 mg	Code B
Celecoxib	Capsule, oral: 100 mg	
Cephalexin	Powder for suspension, oral: 125 mg/5 mL, 250 mg/5 mL Tablet, oral: 250 mg	Code C
Charcoal, Activated	Suspension, oral: 25 g (125 mL); 50 g (250 mL)	Code A
Chlorhexidine Gluconate	Solution, topical: 2% [contains isopropyl alcohol]	
ChlorproMAZINE	Injection, solution, as hydrochloride: 25 mg/mL (2 mL) Tablet, oral, as hydrochloride: 25 mg	
Cholecalciferol	Solution, oral [drops]: 400 int. units/drop Tablet, oral: 1000 units	Code A
Ciprofloxacin and Dexamethasone	Suspension, otic: Ciprodex®: Ciprofloxacin 0.3% and dexamethasone 0.1% (7.5 mL) [contains benzalkonium chloride]	Code C
Ciprofloxacin (Ophthalmic)	Solution, ophthalmic: 0.3% (5 mL)	
Ciprofloxacin (Systemic)	Injection, solution : 10 mg/mL (40 mL) Microcapsules for suspension, oral [WGH (MF) only]: 500 mg/5 mL (100 mL) Tablet, oral [WGH (MF) only]: 750 mg Tablet, oral: 250 mg, 500 mg	Code B (250 mg tablet only)
Citalopram	Tablet, oral: 20 mg	
Clarithromycin	Tablet, oral: 250 mg Tablet, extended release, oral [WGH (MF) only]: 500 mg	
Clindamycin (Systemic)	Capsule, oral: 150 mg Granules for solution, oral [WGH (MF) only]: 75 mg/5 mL (100 mL) Injection, solution: 150 mg/mL (2 mL)	Code B
CloBAZam	Tablet, oral: 10 mg	
Clobetasol	Cream, topical, as propionate: 0.05% Lotion, topical, as propionate [WGH (MF) only]: 0.05% Ointment, topical, as propionate [WGH (MF) only]: 0.05%	
ClonazePAM	Tablet, oral: 0.5 mg, 2 mg	
CloNIDine	Tablet, oral, as hydrochloride: 0.025 mg, 0.1 mg	Code C
Clopidogrel	Tablet, oral: Plavix®: 75 mg	Code B
Clotrimazole (Topical)	Cream, topical: 1% [10 mg/g] (20 g) Cream, vaginal: 1% [10 mg/g] (50 g) [contains 6 applicators]	Code A
Cloxacillin	Capsule, as sodium: 250 mg, 500 mg Injection, powder for reconstitution: 500 mg Injection, powder for reconstitution [WGH (MF) only]: 1000 mg, 2000 mg Powder for suspension, oral: 125 mg/5 mL	Code C (oral only)

Generic Name	Dosage Forms	Nurse Code
Coal Tar (Wood and Mineral Tars)	Shampoo, topical: 1% (350 mL)	
Cocaine	Solution, topical, as hydrochloride: 4%	
Codeine	Injection, solution, as phosphate [WGH (MF) only]: 30 mg/mL Syrup: 5 mg/mL Tablet, oral: 30 mg Tablet, controlled release: Codeine Contin® [WGH (MF) only]: 50 mg, 150 mg	Codes B+ (15 mg tablet)
Colchicine	Tablet, oral: 0.6 mg	
Condom	Condom	
Cromolyn (Ophthalmic)	Solution, ophthalmic, as sodium [drops]: 2%	
Cyanocobalamin	Injection, solution: 100 mcg/mL Injection, solution [WGH (MF), MS, FA, ATT]: 1000 mcg/mL Tablet, oral [WGH (MF) only]: 250 mcg, 1000 mcg	
Cyclobenzaprine	Tablet, oral, as hydrochloride: 10 mg	
Dantrolene	Injection, powder for reconstitution: 20 mg	
Deferoxamine	Injection, powder for reconstitution, as mesylate: 2 g (vial)	Code B
Dermatological Base	Cream, topical: 50 g	
Desmopressin	Injection, solution, as acetate: 4 mcg/mL (1 mL); 15 mcg/mL (1 mL) Solution, intranasal, as acetate: 0.1 mg/mL	
Dexamethasone (Ophthalmic)	Ointment, ophthalmic: 0.1% (3.5 g) Solution, ophthalmic [WGH (MF) only]: 0.1% (5 mL)	
Dexamethasone (Systemic)	Elixir, oral: 0.1 mg/mL Injection, solution: 4 mg/mL (5 mL) Tablet, oral: 0.5 mg Tablet, oral [WGH (MF) only]: 4 mg	Code B (injection)
Dextromethorphan	Syrup, oral, as hydrobromide: 1.5 mg/mL (100 mL); 3 mg/mL (100 mL)	
Dextrose	Injection, solution: 50% (50 mL) [pre-loaded syringe]	Code D
Diazepam	Injection, solution: 5 mg/mL (2 mL) Tablet, oral [WGH (MF) only]: 2 mg Tablet, oral: 5 mg	Codes B+
Diclofenac and Misoprostol	Tablet, oral: [WGH (MF) only]: Diclofenac sodium 50 mg and misoprostol 200 mcg Tablet, oral: Diclofenac sodium 75 mg and misoprostol 200 mcg	
Diclofenac (Systemic)	Tablet, delayed release, enteric coated, oral: 75 mg	
Digoxin	Injection, solution: 250 mcg/mL [0.25 mg/mL] (2 mL) Injection, solution [pediatric]: 0.05 mg/mL (1 mL) Solution, oral [WGH (MF) only]: 50 mcg/mL [0.05 mg/mL] Tablet, oral [WGH (MF), MS, FA, ATT]: 0.0625 mg Tablet, oral: 0.125 mg, 0.25 mg	Code B (0.125 mg tablet)
Dihydroergotamine	Injection, solution: 1 mg/mL (1 mL)	
Diltiazem	Injection, solution, as hydrochloride: 5 mg/mL (5 mL) Tablet, oral, as hydrochloride [WGH (MF) only]: 30 mg Tablet, controlled delivery [CD], oral, as hydrochloride: 120 mg, 180 mg, 240 mg, 300 mg	Injection only - Code B and T

Generic Name	Dosage Forms	Nurse Code
DimenhyDRINATE	Injection, solution: 50 mg/mL (1 mL) Liquid, oral: 15 mg/5 mL Suppository [adult]: 100 mg Suppository [pediatric]: 25 mg, 50 mg Tablet, oral: 50 mg	Code C
Dimethyl Ether and Propane	Kit: Aerosol kit with 40 applicators	
Dinoprostone	Insert, vaginal: Cervidil®: 10 mg	
DiphenhydrAMINE (Systemic)	Capsule, oral: 25 mg Injection, solution: 50 mg/mL (1 mL) Liquid, oral: 12.5 mg/5 mL [2.5 mg/mL]	Codes A (oral), C (injection)
Diphtheria and Tetanus Toxoids	Injection, suspension [Td, adult; preservative free]: 0.5 mL	
Diphtheria and Tetanus Toxoids, Acellular Pertussis, and Poliovirus Vaccine	Injection, suspension: 0.5 mL (ampule) / 1 dose (vial)	
Diphtheria and Tetanus Toxoids, Acellular Pertussis, Poliovirus and Haemophilus b Conjugate Vaccine	Injection, suspension: 0.5 mL (ampule) / 1 dose (vial)	
DOBUTamine	Injection, solution: 12.5 mg/mL (20 mL)	
Docusate	Capsule, softgel, oral, as sodium: 100 mg Syrup, oral, as sodium: 20 mg/5 mL (250 mL)	
Domperidone	Tablet: 10 mg	
Donepezil	Tablet, oral: 10 mg	
DOPamine	Infusion, premixed in D5W: 1.6 mg/mL (250 mL)	Code B, T
Dorzolamide	Solution, ophthalmic [drops]: 2% (10 mL)	
Doxycycline	Capsule, oral, as hyclate: 100 mg	Code C
Doxylamine and Pyridoxine	Tablet, delayed release: Doxylamine 10 mg and pyridoxine 10 mg	Code C
Edrophonium	Injection, solution, as chloride: 10 mg/mL (15 mL)	
Enalapril	Tablet, oral, as maleate: 2.5 mg, 10 mg Tablet, oral, as maleate [WGH (MF) only]: 20 mg	
Enoxaparin	Injection, solution, as sodium [preservative free] [WGH (MF) only]: Lovenox®: 30 mg/0.3 mL (0.3 mL) Injection, solution, as sodium [preservative free]: Lovenox®: 40 mg/0.4 mL (0.4 mL) [prefilled syringe]	Code B
EPHEDrine (Systemic)	Injection, solution, as sulfate: 50 mg/mL (1 mL)	
EPINEPHrine (Nasal)	Solution, intranasal, as hydrochloride [drops/spray]: Adrenalin®: 1 mg/mL [1:1000]	
EPINEPHrine (Systemic, Oral Inhalation)	Injection, solution, as hydrochloride: 1 mg/mL (1 mL) [1:1000 solution] Injection, solution: 0.1 mg/mL (10 mL) [1:10,000 solution] [pre-loaded syringe] EpiPen®: 0.3 mg/0.3 mL (2 mL) [contains sodium metabisulfite; 1:1000 solution] EpiPen® Jr. (under 20 kg): 0.15 mg/0.3 mL (2 mL) [contains sodium metabisulfite; 1:2000 solution]	Codes C (1:1000), D, T (1:10,000, 10 mL) Crash Cart
Ergonovine	Injection, solution: 0.25 mg/mL (1 mL)	
Erythromycin (Ophthalmic)	Ointment, ophthalmic [WGH (MF) only]: 0.5% (1 g) Ointment, ophthalmic: 0.5% (3.5 g)	Code C
Erythromycin (Systemic)	Capsule, delayed release, enteric coated, oral, as base: 333 mg Capsule, delayed release, enteric coated pellets, oral, as base: 250 mg Powder for suspension, oral, as estolate: 50 mg/mL	Code C

Generic Name	Dosage Forms	Nurse Code
Esmolol	Injection, solution: 10 mg/mL (10 mL)	
Estrogens (Conjugated/Equine, Systemic)	Injection, powder for reconstitution: 25 mg Tablet, oral: Premarin® [WGH (MF), MS, FA, ATT]: 0.625 mg	
Ethambutol	Tablet, oral: 400 mg	
Ethinyl Estradiol and D-Norgestrel	Tablet, monophasic formulations: Ethinyl estradiol 0.05 mg and norgestrel 0.25 mg	
Ethinyl Estradiol and Desogestrel	Tablet, monophasic formulations: Ethinyl estradiol 0.03 mg and desogestrel 0.15 mg	
Ethinyl Estradiol and Levonorgestrel	Tablet, oral [monophasic formulation]: Ethinyl estradiol 0.03 mg and levonorgestrel 0.15 mg	Code C
Etidronate and Calcium Carbonate	Combination package [each package contains 5 blister cards (90-day supply)]: Didrocal®: Tablet, etidronate disodium 400 mg (14s) [first card (white tablets)] Tablet, calcium carbonate: 1250 mg (76s) [equivalent to elemental calcium 500 mg; remaining cards (blue tablets)]	
Etomidate	Injection, solution [Special Access]: 2 mg/mL	
Ezetimibe	Tablet, oral: 10 mg	
Famciclovir	Tablet, oral: 500 mg	
Fenofibrate and Derivatives	Capsule, oral [micronized] [WGH (MF), MS, FA, ATT]: 67 mg Capsule, oral [micronized]: 200 mg	
FentaNYL	Injection, solution, as citrate [strength expressed as base, preservative free]: 0.05 mg/mL (2 mL) Patch, transdermal, as base [WGH (MF) only]: 25 mcg/hour, 50 mcg/hour, 75 mcg/hour, 100 mcg/hour	
Ferrous Fumarate	Tablet, oral: 300 mg	
Ferrous Gluconate	Tablet, oral: 300 mg [elemental iron 35 mg]	Code C
Ferrous Sulfate	Liquid, oral [drops]: 75 mg/mL (1 mL) [elemental iron 15 mg/mL] Tablet, oral: 300 mg [elemental iron 60 mg]	Code C
Finasteride	Tablet, oral: 5 mg	
FlavoxATE	Tablet, oral: 200 mg	
Fluconazole	Tablet, oral [WGH (MF) only]: 50 mg Tablet, oral: 150 mg	Code C
Fludrocortisone	Tablet, oral: 0.1 mg	
Flumazenil	Injection, solution: 0.1 mg/mL (5 mL)	Code B
Fluorescein	Strip, ophthalmic, as sodium: 1 mg	Code A
FLUoxetine	Capsule, oral: 10 mg, 20 mg	
FluPHENAZine	Injection, oil, as decanoate [depot]: 25 mg/mL	
Fluticasone and Salmeterol	Aerosol, for oral inhalation: Advair®: 125/25: Fluticasone propionate 125 mcg and salmeterol 25 mcg per inhalation (12 g) [120 metered actuations] Powder, for oral inhalation: Advair Diskus®: 250/50: Fluticasone propionate 250 mcg and salmeterol 50 mcg (14s [DSC], 60s) [contains lactose] 500/50: Fluticasone propionate 500 mcg and salmeterol 50 mcg (14s [DSC], 60s) [contains lactose]	
Fluticasone (Nasal)	Suspension, intranasal [spray]: 50 mcg/dose	

Generic Name	Dosage Forms	Nurse Code
Fluticasone (Oral Inhalation)	Powder, for oral inhalation, as propionate: Flovent® Inhaler: 50 mcg, 125 mcg Flovent® Inhaler: Flovent® Inhaler [WGH (MF), MS, FA, ATT]: 250 mcg	Code B (125 mcg inhaler only)
Folic Acid	Injection, solution: 5 mg/mL Tablet, oral: 1 mg	Codes A (1 mg tablet) / B (5 mg/mL injection)
Fomepizole	Injection, solution [preservative free]: 1 g/mL (1.5 mL)	
Fondaparinux	Injection, solution, as sodium [preservative free]: 2.5 mg/0.5 mL (0.5 mL) syringe Injection, solution, as sodium [preservative free] [WGH (MF) only]: 7.5 mg/0.6 mL (0.6 mL) syringe	
Framycetin	Dressing, gauze: 1% (10 cm x 10 cm) Dressing, gauze [WGH (MF), MS, FA, ATT]: 1% (10 cm x 30 cm)	
Furosemide	Injection, solution: 10 mg/mL (2 mL) Injection, solution [WGH (MF) only]: 10 mg/mL (4 mL, 25 mL) Solution, oral [WGH (MF) only]: 10 mg/mL Tablet, oral [WGH (MF), MS, FA, ATT]: 20 mg Tablet, oral: 40 mg	Code B
Fusidic Acid (Topical)	Ointment, topical, as sodium fusidate: Fucidin®: 2%	
Gabapentin	Capsule, oral: 100 mg, 300 mg	
Gentamicin (Ophthalmic)	Ointment, ophthalmic: 0.3% (3.5 g) Solution, ophthalmic [drops]: 0.3% (5 mL)	
Gentamicin (Systemic)	Injection, solution: 40 mg/mL (2 mL)	Code B
Gliclazide	Tablet, modified release (MR), oral: 30 mg	Code B
Glucagon	Injection, powder for reconstitution: Glucagon Kit: 1 mg	Code C
GlyBURIDE	Tablet, oral [WGH (MF) only]: 2.5 mg Tablet, oral: 5 mg	
Glycerin (Rectal)	Suppository, rectal [adult] Suppository, rectal [pediatric]	Code A
Glycopyrrolate	Injection, solution: 0.2 mg/mL (1 mL)	
Gramicidin and Polymixin B	Solution, ophthalmic/otic: Gramicidin 0.25 mg and polymixin B 10,000 units per mL (10 mL)	Code C
Haemophilus b Conjugate Vaccine (as part of Pentacel®)	Injection, powder for reconstitution [preservative free]: ActHIB® Haemophilus b capsular polysaccharide 10 mcg [bound to tetanus toxoid 24 mcg] per 0.5 mL [contains sucrose; may be reconstituted with provided diluent (forms solution; contains natural rubber/natural latex in packaging) or Tripedia® (forms suspension)]	
Haloperidol	Injection, oil, as decanoate [WGH (MF), MS, FA, ATT]: 100 mg/mL (1 mL) [depot] Injection, solution, as lactate: 5 mg/mL (1 mL) Tablet, oral: 1 mg, 5 mg	Code B (tablet, 5 mg/mL injection)

Generic Name	Dosage Forms	Nurse Code
Heparin	Injection, solution, as sodium [lock flush preparation; porcine intestinal mucosa source] [WGH (MF), MS, FA, ATT]: 100 units/mL (3 mL, 5 mL) [pre-loaded syringe] Injection, solution, as sodium [porcine intestinal mucosa source] [WGH (MF) only]: 1000 units/mL (10 mL) Injection, solution, as sodium [porcine intestinal mucosa source]: 5000 units/mL (1 mL) [pre-loaded syringe] Infusion [premixed bag with D5W] [WGH (MF) only]: 50 units/mL	
Hepatitis A Vaccine	Injection, suspension [adult, preservative free]: Havrix®: Hepatitis A virus antigen 1440 ELISA units/mL (1 mL)	
Hepatitis B Immune Globulin (Human)	Injection, solution [preservative free]: HyperHEP B®, S/D: Anti-HBs 220 int. units/mL (5 mL)	
Hepatitis B Vaccine (Recombinant)	Injection, suspension [adult, preservative free]: Engerix-B®: Hepatitis B surface antigen 20 mcg/mL (1 mL) Recombivax HB®: Hepatitis B surface antigen 10 mcg/mL (1 mL)	
Homatropine	Solution, ophthalmic, as hydrobromide [drops]: 2%	
HydrALAZINE	Injection, solution: 20 mg/mL (1 mL) Tablet, oral: 10 mg, 25 mg	Code B, T
Hydrochlorothiazide	Tablet, oral: 25 mg	Code B
Hydrocortisone and Zinc Sulfate (Rectal)	Ointment, rectal: Hydrocortisone 0.5% and zinc sulfate 0.5% (30 g) Suppository, rectal: Hydrocortisone 10 mg and zinc sulfate 10 mg	Code C
Hydrocortisone (Systemic)	Injection, powder for reconstitution, as sodium succinate [strength expressed as base] [All locations]: 100 mg, 250 mg [WGH (MF) only]: 1000 mg	
Hydrocortisone (Topical)	Cream, topical, as acetate: 0.5% (15 g); 1% (15 g) Ointment, topical, as acetate: 0.5% (15 g); 1% (15 g)	Code C
HYDROMorphone	Capsule, controlled release: Hydromorph Contin®: 3 mg, 6 mg, 12 mg, 24 mg Injection, solution: 2 mg/mL, 10 mg/mL Tablet, oral: 1 mg, 2 mg, 4 mg, 8 mg	
Hydroxychloroquine	Tablet, oral: 200 mg	
Hydroxypropyl Methylcellulose	Solution, ophthalmic [drops]: Isopto® Tears: 0.5% (15 mL)	Code A
HydrOXYzine	Capsule, oral [WGH (MF) only]: 10 mg Capsule, oral: 25 mg Syrup, oral, as hydrochloride: 10 mg/5 mL	Code C
Hyoscine Butylbromide	Injection, solution, as hyoscine-N-butylbromide: Buscopan®: 20 mg/mL Tablet, as hyoscine-N-butylbromide: Buscopan®: 10 mg	Code D
Ibuprofen	Suspension, oral: 20 mg/mL (100 mL) Tablet, oral: 200 mg, 400 mg Tablet, oral [WGH (MF), MS, FA, ATT]: 300 mg	Codes A (tablet), C (liquid)
Immune Globulin	Injection, solution: 5 mL	

Generic Name	Dosage Forms	Nurse Code
Indomethacin	Capsule, oral: 25 mg Suppository, rectal: 100 mg	Code D (suppository)
Influenza Virus Vaccine (Inactivated)	Injection, suspension: Vial (whole or split)	
Insulin Aspart	Injection, solution: 100 units/mL (3 mL) [cartridge]	
Insulin Glargine	Injection, solution: Lantus®: 100 units/mL (10 mL) [vial]	
Insulin Lispro	Injection, solution: HumaLOG®: 100 units/mL (3 mL) [penfill]	
Insulin NPH	Injection, suspension: 100 units/mL (3 mL) [prefilled pen]	Code B
Insulin NPH and Insulin Regular	Injection, suspension: Insulin NPH suspension 70% [intermediate acting] and insulin regular solution 30% [short acting]: 100 units/mL (3 mL) [prefilled pen]	
Insulin Regular	Injection, solution: HumuLIN® R: 100 units/mL (3 mL) [prefilled pen] NovoLIN® R: 100 units/mL (3 mL) [prefilled pen]	
Ipratropium (Oral Inhalation)	Aerosol, for oral inhalation: 20 mcg/inhalation [200 metered actuations] Solution, for nebulization: 0.025% (20 mL) [250 mcg/mL]	Code C
Irbesartan	Tablet, oral: 75 mg	
Iron Dextran Complex	Injection, solution: 50 mg/mL	
Isoflurane	Liquid, for inhalation: 100 mL	
Isoniazid	Solution, oral: 50 mg/5 mL Tablet, oral: 300 mg	
Isoproterenol	Injection, solution, as hydrochloride: 0.2 mg/mL (5 mL)	
Isosorbide Dinitrate	Tablet, oral: 10 mg, 30 mg	
Ketamine	Injection, solution: 10 mg/mL, 50 mg/mL	
Ketorolac (Systemic)	Injection, solution: 30 mg/mL (1 mL)	Code B
Labetalol	Injection, solution: 5 mg/mL Tablet, oral [WGH (MF) only]: 200 mg	Code B, T
Lactase	Caplet, oral: 3000 FCC lactase units	
Lactulose	Solution, oral: 667 g/mL	Codes A (for use as laxative), B (for other indications)
Lamivudine and Zidovudine	Tablet, oral: Combivir®: Lamivudine 150 mg and zidovudine 300 mg [scored]	
Latanoprost	Solution, ophthalmic [drops]: 0.01%	
Levobunolol	Solution, ophthalmic [drops]: 0.25%	
Levodopa and Carbidopa	Tablet: 10/100 [WGH (MF) only]: Carbidopa 10 mg and levodopa 100 mg 25/100: Carbidopa 25 mg and levodopa 100 mg Tablet, extended release (CR) [WGH (MF), FA, ATT]: 25/100: Carbidopa 25 mg and levodopa 100 mg	
Levofloxacin (Systemic)	Infusion [WGH (MF) only]: 500 mg (100 mL), 750 mg Tablet, oral: 250 mg, 500 mg	Code B (750 mg tablet)
Levonorgestrel	Tablet, oral: 0.75 mg	Code C
Levothyroxine	Injection, powder for reconstitution [WGH (MF) only]: 500 mcg Tablet, oral, as sodium: 50 mcg Tablet, oral, as sodium [WGH (MF), MS, FA, ATT]: 25 mcg, 75 mcg, 88 mcg, 100 mcg, 112 mcg, 125 mcg, 150 mcg, 175 mcg, 200 mcg, 300 mcg	Code B (50 mcg tablet)

Generic Name	Dosage Forms	Nurse Code
Lidocaine and Epinephrine	Injection, solution: 1% / 1:100,000 [WGH (MF) only]: 1.5% / 1:200,000: Test dose [All locations]: 2% / 1:100,000	Code C (1% injection with epinephrine only)
Lidocaine and Prilocaine	Patch, transdermal: Lidocaine 2.5% and prilocaine 2.5% per patch (1 g patch)	Code A
Lidocaine (Systemic)	Infusion, premixed: 1 g/250 mL (bag) Injection, solution: 100 mg/5 mL (pre-loaded syringe) Injection, solution: 1% [10 mg/mL] Injection, solution [WGH (MF), MS, FA, ATT]: 2% [20 mg/mL]	Codes B, T (100 mg pre-loaded syringe), C (1% injection)
Lidocaine (Topical)	Jelly, topical [WGH (MF), MS, FA, ATT]: 2% (30 mL) Jelly, topical [WGH (MF) only]: 2% [urojet preload] Solution, topical [endotracheal spray]: 10 mg/dose (200 doses) Solution, topical (pink) [WGH (MF) only]: 4% (50 mL) Solution, viscous, oral topical: 2% [20 mg/mL] (100 mL)	Code A (2% jelly), B (endotracheal spray), D (2% viscous solution)
Lisinopril	Tablet, oral: 5 mg, 20 mg	
Lithium	Capsule, oral, as carbonate: 300 mg	
Loperamide	Capsule, oral: 2 mg	Code C
Lopinavir and Ritonavir	Tablet: Kaletra®: Lopinavir 200 mg and ritonavir 50 mg	
Loratadine	Syrup, oral: 1 mg/mL Tablet, oral: 10 mg	
LORazepam	Injection, solution: 4 mg/mL (1 mL) Tablet, oral: 1 mg	Codes B+
Losartan	Tablet, oral: 25 mg, 100 mg	
Lovastatin	Tablet, oral: 20 mg	
Magnesium Citrate	Solution, oral: 50 mg/mL (300 mL) [15 g/300 mL]	
Magnesium Hydroxide	Suspension, oral: 400 mg/5 mL	Code A
Magnesium Oxide	Tablet, oral: 420 mg [equivalent to elemental magnesium 252 mg]	
Magnesium Sulfate	Injection, solution: 500 mg/mL (10 mL) [equivalent to elemental magnesium 49.3 mg (4.06 mEq)/mL] Crystals, oral/topical (Epsom salts): 500 g	Code B (injection)
Measles, Mumps, and Rubella Virus Vaccine	Injection, powder for reconstitution [preservative free]: 0.5 mL	
Meclizine	Tablet, oral: 25 mg	
MedroxyPROGESTERone	Injection, suspension, as acetate: 150 mg/mL (1 mL) Tablet, oral, as acetate: 5 mg	Code D (injection only)
Meperidine	Injection, solution, as hydrochloride: 50 mg/mL (1 mL); 75 mg/mL (1 mL) Injection, solution, as hydrochloride [WGH (MF) only]: 100 mg/mL (1 mL)	Code B
MetFORMIN	Tablet, oral, as hydrochloride: 500 mg, 850 mg	Code B
Methocarbamol	Tablet, oral: 500 mg	
Methotrexate	Injection, solution: 25 mg/mL (2 mL) Tablet, oral: 2.5 mg	
Methotrimeprazine	Tablet, oral: 5 mg	
Methyldopa	Tablet, oral: 250 mg Tablet, oral [WGH (MF) only]: 125 mg, 500 mg	Code B
Methylene Blue	Injection, solution: 10 mg/mL	
Methylphenidate	Tablet, oral: 10 mg	

Generic Name	Dosage Forms	Nurse Code
MethylPREDNISolone	Injection, powder for reconstitution, as sodium succinate: Solu-MEDROL®: 125 mg Injection, suspension, as acetate: Depo-Medrol®: 40 mg/mL (1 mL)	Code B
Metoclopramide	Injection, solution: 5 mg/mL Tablet, oral: 10 mg	Code C
Metolazone	Tablet, oral: 2.5 mg	
Metoprolol	Injection, solution, as tartrate: 1 mg/mL (5 mL) Tablet, oral, as tartrate: 25 mg Tablet, oral, as tartrate [WGH (MF), MS, FA, ATT]: 50 mg Tablet, oral, as tartrate [WGH (MF) only]: 100 mg	Code B (25 mg tablet), B, T (injection)
MetroNIDAZOLE (Systemic)	Injection, solution [WGH (MF) only]: 5 mg/mL Injection, solution: 500 mg/100 mL Tablet, oral: 250 mg	Codes B (injection), C (tablet)
MetroNIDAZOLE (Topical)	Cream, topical: 10% (60 g)	
Miconazole (Topical)	Combination package, topical/vaginal, as nitrate: Monistat® 3 Dual-Pak: Ovule, vaginal: 400 mg (3s) and Cream, topical: 2% (9 g) [3-day treatment] Monistat® 7 Dual-Pak: Ovule, vaginal: 100 mg (7s) and Cream, topical: 2% (9 g) [7-day treatment]	
Midazolam	Injection, solution: 5 mg/mL (1 mL)	Code B
Mineral Oil	Jelly, oral: 15 g packet [sugar free] Oil, oral [heavy]: 100%	Code A
Misoprostol	Tablet, oral: 200 mcg	Code B
Mometasone (Topical)	Cream, topical: 0.1% Lotion, topical: 0.1% Ointment, topical: 0.1%	
Montelukast	Tablet, oral: 10 mg Tablet, chewable, oral: 5 mg [contains phenylalanine 0.842 mg/tablet; cherry flavor]	
Morphine (Systemic)	Capsule, extended release, oral, as sulfate [WGH (MF), MS, FA, ATT]: 10 mg, 15 mg, 30 mg Capsule, extended release, oral, as sulfate [WGH (MF) only]: 60 mg, 100 mg Injection, solution [WGH (MF) only]: 2 mg/mL (1 mL); 15 mg/mL (1 mL) Injection, solution: 10 mg/mL (1 mL) Syrup, oral: 5 mg/mL Tablet, oral, as sulfate: 5 mg Tablet, oral, as sulfate [WGH (MF) only]: 10 mg	Codes B (tablet), B+ (injection, syrup)
Multivitamins (Injectable)	Injection, solution: Multi 1000®: D-Pantothenic acid 26 mg, niacinamide 100 mg, vitamin A 10,000 int. units, thiamine 45 mg, riboflavin 10 mg, pyridoxine 12 mg, vitamin C 1000 mg, vitamin D 1000 int. units, vitamin E 10 int. units per 10 mL	

Generic Name	Dosage Forms	Nurse Code
Multivitamins (Oral, Adult)	Tablet, oral: Paramettes®: Vitamin A 6000 int.units, vitamin D 400 int. units, riboflavin 2 mg, folic acid 0.4 mg, thiamine 1 mg, niacinamide 20 mg, vitamin C 60 mg, pyridoxine 2 mg, vitamin B12 10 mcg, vitamin E 10 int. units Replavite® [WGH (MF) only]: Thiamine 1.5 mg, riboflavin 1.7 mg, niacinamide 20 mg, folic acid 1 mg, vitamin B6 10 mg, pantothenic acid 10 mg, vitamin B12 6 mcg, biotin 300 mcg, vitamin C 100 mg	
Multivitamins (Oral, Pediatric)	Solution, oral: Tri-Vi-Sol®: Vitamin A 1500 int. units, vitamin D 400 int. units, vitamin C 30 mg per 1 mL Tablet, chewable, oral: Centrum Junior Complete®: Vitamin A 1000 int. units, vitamin D 400 int. units, vitamin C 75 mg, vitamin B6 1 mcg, vitamin B12 2 mcg, vitamin E 10 int. units, beta carotene 2000 int. units, biotin 30 mcg, calcium 250 mg, folate 0.1 mg, iodine 0.15 mg, iron 5 mg, magnesium 50 mg, 3-pyridinecarboxamide 10 mg, pantothenic acid 5 mg, riboflavin 1 mg, thiamin 1 mg, zinc 3 mg	Code A
Multivitamins (Oral, Prenatal)	Tablet, oral: Prenatal (WN Pharmaceuticals® LTD): Vitamin A 1014 int. units, beta-carotene 2500 int. units, vitamin D 400 int. units, thiamine 1.4 mg, riboflavin 1.4 mg, vitamin B6 1.9 mg, vitamin B12 2.6 mcg, vitamin C 85 mg, vitamin E 30 int. units, folate 1 mg, iron [elemental] 27 mg, calcium [elemental] 250 mg, biotin 30 mcg, iodine 220 mcg, copper 1 mg, chromium 30 mcg, magnesium 50 mg, manganese 2 mg, molybdenum 50 mcg, 3-pyridinecarboxamide 18 mg, pantothenic acid 6 mg, selenium 30 mcg, zinc 7.5 mg	Code A
Mupirocin	Ointment, topical: 2% (15 g)	Code B
Naloxone	Injection, solution: 0.4 mg/mL (1 mL)	Code D
Naproxen	Tablet, oral [WGH (MF) only]: 125 mg Tablet, oral: 250 mg, 375 mg	Code C
Nelfinavir	Tablet, oral: 250 mg	
Neostigmine	Injection, solution, as methysulfate: 2.5 mg/mL (5 mL)	
Nicotine	Gum, chewing, oral, as polacrilex: 2 mg Patch, transdermal: 7 mg/24 hours, 14 mg/24 hours, 21 mg/24 hours	
NIFEdipine	Capsule, softgel, oral: 10 mg Tablet, extended release, oral: 30 mg Tablet, extended release, oral [WGH (MF) only]: 60 mg	
Nitrofurantoin	Capsule (SR), oral [macrocrystal]: 100 mg Tablet, immediate-release, oral [WGH (MF) only]: 50 mg	Code C (100 mg SR capsule)
Nitroglycerin	Infusion, premixed in D5W: (250 mL) [100 mcg/mL] Patch, transdermal: 0.2 mg/hour, 0.4 mg/hour, 0.6 mg/hour Solution, translingual [spray]: 0.4 mg/spray Tablet, sublingual: 0.3 mg	Codes B (0.2 mg/hour patch), B, T (infusion), C (spray)
Nitroprusside	Injection, powder for reconstitution: 50 mg (vial)	

Generic Name	Dosage Forms	Nurse Code
Norepinephrine	Injection, solution: 1 mg/mL	
Nortriptyline	Capsule, oral: 10 mg, 25 mg	
Nystatin (Oral)	Suspension, oral: 100,000 units/mL	Code C
Nystatin (Topical)	Cream, topical: 100,000 units/g (15 g)	
Octreotide	Injection, solution: 100 mcg/mL (1 mL)	Code B
Ofloxacin (Ophthalmic)	Solution, ophthalmic [drops]: 0.3%	
OLANZapine	Tablet, oral: 2.5 mg, 5 mg Tablet, orally disintegrating, oral: ZyPREXA® Zydys®: 5 mg [contains phenylalanine 0.34 mg/tablet]	
Omeprazole Magnesium	Tablet, delayed release, oral: 20 mg	
Ondansetron	Injection, solution [WGH (MF) only]: 2 mg/mL (4 mL) Syrup, oral: 4 mg/5 mL [0.8 mg/mL] (50 mL) Tablet, oral [WGH (MF) only]: 4 mg, 8 mg Tablet, orally disintegrating, oral [WGH (MF) only]: 8 mg	
Oral Electrolyte Solution	Solution, fruit flavored (pediatric: Pedialyte®): 1000 mL	Code A
Oseltamivir	Capsule, oral, as phosphate: 75 mg Powder for oral suspension: 12 mg/mL (75 mL)	Code B (capsule)
Oxazepam	Capsule, oral: 15 mg	
Oxybutynin	Tablet, oral: 5 mg	
Oxycodone and Acetaminophen	Tablet, oral: 5/325: Oxycodone hydrochloride 5 mg and acetaminophen 325 mg	
Oxytocin	Injection, solution: 10 units/mL (1 mL, 5 mL)	Code D
Pancrelipase	Capsule, delayed release, enteric coated beads [porcine derived]: Lipase 8000 units, protease 30,000 units, amylase 30,000 units	
Pantoprazole	Injection, powder for reconstitution: 40 mg Tablet, oral [WGH (MF), MS, FA, ATT]: 40 mg	Code B (injection)
Paradichlorobenzene PCB, Chlorbutol BP, and Oil of Turpentine BP	Solution, otic [drops]: Paradichlorobenzene PCB (1949) 2%, chlorbutol BP 5%, and oil of turpentine BP 10% (11 mL) [contains peanut oil; supplied with dropper]	
PARoxetine	Tablet, oral: 20 mg, 30 mg	
Penicillin V Potassium	Powder for solution, oral: 125 mg/5 mL (100 mL); 300 mg/5 mL (100 mL) Tablet, oral: 500,000 units = 300 mg	Code C
Penicillin G (Parenteral/Aqueous)	Injection, powder for reconstitution, as sodium: 1 million units (minimum: 10 vials); 5 million units	Code B
Pentoxifylline	Tablet, extended release, oral: 400 mg	
Permethrin	Cream, topical [for scabies]: 5% Liquid, topical [creme rinse formulation] [for head lice]: 1%	Code A
Petrolatum (Ocular Lubricant)	Ointment, ophthalmic: Petrolatum 55% and mineral oil 42.5% (3.5 g)	
PHENobarbital	Elixir, oral: 5 mg/mL Injection, solution, as sodium: 120 mg/mL (1 mL) Tablet, oral: 15 mg	
Phentolamine	Injection, solution, as mesylate: 5 mg/mL	Code D
Phenylephrine (Ophthalmic)	Solution, ophthalmic [drops]: 2.5%	
Phenylephrine (Systemic)	Injection, solution: 1% [10 mg/mL] (1 mL)	

Generic Name	Dosage Forms	Nurse Code
Phenytoin	Capsule, extended release, oral, as sodium: 100 mg Injection, solution, as sodium: 50 mg/mL (5 mL) Suspension, oral: 25 mg/mL (125 mg/5 mL) Tablet, chewable, oral [WGH (MF) only]: 50 mg [scored]	Code B
Phytonadione	Injection, aqueous colloidal: 1 mg/0.5 mL; 10 mg/mL (1 mL)	Code B (10 mg/mL injection), D (1 mg/0.5 mL pediatric injection)
Pilocarpine (Ophthalmic)	Solution, ophthalmic [drops]: 1% (15 mL); 2% (15 mL); 4% (15 mL)	Code B (2%)
Pioglitazone	Tablet, oral: 15 mg	
Piperacillin and Tazobactam Sodium	Note: 8:1 ratio of piperacillin sodium/tazobactam sodium Injection, powder for reconstitution: 3.375 g: Piperacillin 3 g and tazobactam 0.375 g	
Pneumococcal Conjugate Vaccine (13-Valent)	Injection, suspension: Pneumovax 13 [®] : 2 mcg of each capsular saccharide for serotypes 1, 3, 4, 5, 6A, 7F, 9V, 14, 18C, 19A, 19F, and 23F, and 4 mcg of serotype 6B [bound to diphtheria CRM197 protein ~34 mcg] per 0.5 mL (0.5 mL) [contains aluminum, polysorbate 80, and yeast]	
Pneumococcal Polysaccharide Vaccine (Polyvalent)	Injection, solution: Pneumovax [®] 23: 25 mcg each of 23 capsular polysaccharide isolates/0.5 mL (0.5 mL)	
Podophyllum Resin	Liquid, topical: 25% [in benzoin tincture]	Code C
Poliovirus Vaccine (Inactivated)	Injection, suspension: 0.5 mL	
Polyethylene Glycol-Electrolyte Solution (Colonic Lavage Solution)	Powder, for solution, oral: PEG 3350, sodium sulfate, sodium bicarbonate, sodium chloride, and potassium chloride (4000 mL)	Code B
Potassium Chloride	Infusion, premixed in D5 1/2 NS [WGH (MF) only]: 10 mEq (500 mL) Infusion, premixed in D5 2/3 + 1/3 NS [WGH (MF) only]: 20 mEq (1000 mL); 40 mEq (1000 mL) Infusion, premixed in D5W [WGH (MF) only]: 20 mEq (1000 mL) Infusion, premixed in NS: 20 mEq (1000 mL); 40 mEq (1000 mL) Infusion, premixed in water for injection [highly concentrated] [WGH (MF) only]: 10 mEq (100 mL) Injection, solution [highly concentrated] [WGH (MF) only]: 2 mEq/mL (10 mL) Solution, oral: 20 mEq/15 mL Tablet, extended release, microencapsulated, oral: 8 mEq Tablet, extended release, microencapsulated, oral [WGH (MF) only]: 20 mEq	Code B (20 mmol (mEq) KCl/L NS, KCl 20 mmol (mEq) tablet)
Potassium Citrate	Tablet for solution, oral [effervescent]: Potassium 25 mEq	
Pralidoxime	Injection, powder for reconstitution, as chloride: Protopam [®] : 1 g	
PrednisolONE (Ophthalmic)	Solution, ophthalmic, as acetate [drops]: 1%	Code B
PrednisolONE (Systemic)	Solution, oral, as sodium phosphate [strength expressed as base]: 5 mg/5 mL [1 mg/mL]	Code B
PredniSONE	Tablet, oral [WGH (MF) only]: 1 mg Tablet, oral: 5 mg, 50 mg	Code B

Generic Name	Dosage Forms	Nurse Code
Probenecid	Tablet, oral: 500 mg	Code B
Procainamide	Injection, solution: 100 mg/mL (10 mL)	
Prochlorperazine	Injection, solution: 5 mg/mL (2 mL) Tablet, oral: 5 mg	Code B (injection)
Proparacaine	Solution, ophthalmic, as hydrochloride [drops]: 0.5% Alcaine®: 0.5% [contains benzalkonium chloride]	
Propofol	Injection, emulsion: 10 mg/mL (20 mL)	
Propranolol	Tablet, oral [WGH (MF) only]: 10 mg Tablet, oral: 40 mg	
Propylthiouracil	Tablet, oral: 100 mg	
Protamine Sulfate	Injection, solution: 10 mg/mL (5 mL)	Code B
Pseudoephedrine	Syrup, oral, as hydrochloride: 30 mg/5 mL Tablet, oral, as hydrochloride: 60 mg	
Psyllium Hydrophilic Mucilloid	Powder, oral: 5.6 g packet	
Pyrantel Pamoate	Tablet, oral: 125 mg	Code C
Pyrazinamide	Tablet, oral: 500 mg	
Pyrethrins and Piperonyl Butoxide	Shampoo: Pyrethrins 0.3% and piperonyl butoxide 3%	Code A
Pyridoxine	Injection, solution: 100 mg/mL (30 mL) Tablet, oral: 25 mg	Code B
QUetiapine	Tablet, oral: SEROquel® : 25 mg SEROquel® [WGH (MF) only]: 100 mg	
RABEprazole	Tablet, delayed release, enteric coated, oral: 10 mg	Code B
Rabies Immune Globulin (Human)	Injection, solution [preservative free]: HyperRAB®, S/D: 150 int. units/mL (2 mL, 10 mL) [solvent/detergent treated] Imogam® Rabies-HT: 150 int. units/mL (2 mL, 10 mL) [heat treated]	
Rabies Vaccine	Injection, powder for reconstitution [preservative free]: Imovax® Rabies: 2.5 units [contains albumin (human), neomycin (may have trace amounts); HDCV; grown in human diploid cell culture; supplied with diluent]	
Ramipril	Capsule, oral: 2.5 mg, 5 mg Capsule, oral [WGH (MF), MS, FA, ATT]: 10 mg	Code B (2.5 mg capsule)
Ranitidine	Injection, solution: 25 mg/mL (2 mL) Syrup, oral: 15 mg/mL Tablet, oral: 150 mg	Codes B (injection), C (tablet)
Repaglinide	Tablet, oral: Prandin®: 0.5 mg Prandin® [WGH (MF) only]: 1 mg, 2 mg	
Rho(D) Immune Globulin	Injection, solution: 120 mcg	
Rifampin	Capsule, oral: 300 mg	Code B
RisperiDONE	Solution, oral [WGH (MF) only]: 1 mg/mL Tablet, oral [WGH (MF) only]: 0.25 mg, 0.5 mg Tablet, oral: 1 mg	
Rocuronium	Injection, solution: 10 mg/mL (5 mL)	
Salbutamol	Aerosol (inhaler), for oral inhalation: 100 mcg/inhalation Solution, for inhalation: 5 mg/mL (10 mL)	Code C
Salicylic Acid and Lactic Acid (Topical)	Liquid, topical: Duofilm®: 16.7% [contains lactic acid 16.7% in Flexible Collodion] Powder [WGH (MF) only]: 500 g	

Generic Name	Dosage Forms	Nurse Code
Salmeterol	Powder, for oral inhalation: Serevent® Diskus®: 50 mcg	
Scopolamine Hydrobromide (Systemic)	Injection, solution, as hydrobromide: 0.6 mg/mL	
Sennosides (Senna)	Liquid, oral: 1.7 mg/mL Tablet, oral [WGH (MF) only]: Sennosides 8.6 mg	Code A
Sertraline	Tablet, oral: 25 mg, 50 mg, 100 mg	
Sevoflurane	Liquid, for inhalation: 100% (250 mL)	
Silicone (Topical)	Cream, topical: 20% (50 g)	
Silver Nitrate	Applicator sticks, topical: Silver nitrate 75% and potassium nitrate 25%	
Silver Sulfadiazine	Cream, topical: 1%	Code C
Simethicone	Suspension, oral [drops]: 40 mg/mL (30 mL)	
Simvastatin	Tablet, oral [WGH (MF) only]: 10 mg, 20 mg Tablet, oral: 40 mg	
Sodium Bicarbonate	Injection, solution: 8.4% (50 mL) [10 mEq/10 mL] Injection, solution [WGH (MF) only]: 7.5% (10 mL); 7.5% (50 mL) [8.92 mEq/10 mL] Injection, solution [WGH (MF) MS, FA, ATT]: 4.2% (10 mL) [5 mEq/10 mL]; 8.4% (10 mL) [10 mEq/10 mL]	Code B,D
Sodium Chloride	Injection, solution [preservative free]: 0.9% (10 mL) Solution, intranasal: 0.9%	Codes A (nasal, 10 mL vial, irrigation), D (infusion)
Sodium Citrate	Solution, oral: Citric acid 66.8 mg and sodium citrate 100 mg per mL (30 mL)	
Sodium Hypochlorite Solution	Solution, topical: 1% chlorine (450 mL)	
Sodium Phosphates	Replacement: Injection, solution [concentrate; preservative free] [WGH (MF) only]: Phosphorus 3 mmol and sodium 4 mmol per 1 mL Tablet for solution, oral [effervescent] [WGH (MF) only]: Phosphate-Novartis®: 500 mg [sodium phosphate 16 mmol per tablet] Cathartic/Laxative: Solution, oral [WGH (MF) only]: Monobasic sodium phosphate monohydrate 480 mg and dibasic sodium phosphate heptahydrate 180 mg per 1 mL (45 mL) Solution, rectal [adult enema]: Monobasic sodium phosphate monohydrate 160 mg and dibasic sodium phosphate heptahydrate 60 mg per 1 mL delivered dose (133 mL) Solution, rectal [pediatric enema]: Monobasic sodium phosphate monohydrate 160 mg and dibasic sodium phosphate heptahydrate 60 mg per 1 mL delivered dose (65 mL)	Codes A (adult enema), B (pediatric enema)
Sodium Picosulfate, Magnesium Oxide, and Citric Acid	Powder for solution, oral [kit]: Pico-Salax®: Sodium picosulphate 10 mg, magnesium oxide 3.5 g, and citric acid 12 g per sachet (1s, 2s) [orange or cranberry flavor]	
Sodium Polystyrene Sulfonate	Suspension, oral/rectal: 15 g/60 mL [250 mg/mL]	Code B
Sodium Tetradecyl Sulfate	Injection, solution, as sulfate: 3% (2 mL)	
Sotalol	Tablet, oral, as hydrochloride: 80 mg	
Spironolactone	Tablet, oral: 25 mg, 100 mg	

Generic Name	Dosage Forms	Nurse Code
Spironolactone and Hydrochlorothiazide	Tablet: Hydrochlorothiazide 25 mg and spironolactone 25 mg	
Succinylcholine	Injection, solution, as chloride: 20 mg/mL (10 mL)	
Sucralfate	Tablet, oral: 1 g	
Sulfamethoxazole and Trimethoprim	Suspension, oral: Sulfamethoxazole 200 mg and trimethoprim 40 mg per 5 mL (40 mg/8 mg per mL) Tablet: Sulfamethoxazole 400 mg and trimethoprim 80 mg Tablet, double-strength: Sulfamethoxazole 800 mg and trimethoprim 160 mg	Code C
SUMatriptan	Injection, solution: 6 mg/0.5 mL (0.5 mL) [12 mg/mL] Tablet, oral [WGH (MF) only]: 50 mg, 100 mg	Code B
Surgical Lubricant	Jelly [tube]: 125 g	
Tamsulosin	Capsule, oral: 0.4 mg	
Tenecteplase	Injection, powder for reconstitution [recombinant]: TNKase®: 50 mg	
Terazosin	Capsule, oral: 1 mg, 2 mg, 5 mg	
Terbutaline	Powder for oral inhalation: Bricanyl® Turbuhaler: 500 mcg/actuation	
Tetanus Immune Globulin (Human)	Injection, solution [preservative free]: HyperTET®, S/D: 250 units/mL (~1 mL)	
Tetracaine (Ophthalmic)	Solution, ophthalmic: 0.5% (5 mg/mL) [single-dose]	Code C (0.5%)
Tetracaine (Topical)	Gel, topical: 4%	
Tetracycline	Capsule, oral: 250 mg	Code C
Thiamine	Injection, solution: 100 mg/mL Tablet, oral: 100 mg	Code A
Ticlopidine	Tablet, oral: 250 mg	
Timolol (Ophthalmic)	Solution, ophthalmic: 0.25% (5 mL); 0.5% (5 mL) Solution, ophthalmic, extended-release: 0.25%, 0.5%	Code B
Tiotropium	Powder, for oral inhalation [capsule]: 18 mcg/capsule	
Tranexamic Acid	Injection, powder for reconstitution: 1 g Tablet, oral [WGH (MF) only]: 500 mg	
TraZODone	Tablet, oral: 50 mg	
Triamterene and Hydrochlorothiazide	Capsule, oral: Hydrochlorothiazide 25 mg and triamterene 50 mg	
Trifluridine	Solution, ophthalmic [drops]: 1% (7.5 mL)	Code B
Tropicamide	Solution, ophthalmic [drops]: 1% (15 mL) Solution, ophthalmic [minim]: 1%	Code B
Tuberculin Tests (Mantoux)	Injection, solution: Tubersol®: 5 TU/0.1 mL	
Urea	Cream, topical: 10%	
Valproic Acid and Derivatives	Syrup, oral, as valproate sodium [WGH (MF) only]: 250 mg/5 mL [50 mg/mL] Tablet, enteric coated, oral: 250 mg [strength expressed as valproic acid] Tablet, enteric coated, oral [WGH (MF) only]: 500 mg [strength expressed as valproic acid]	
Vancomycin	Injection, powder for reconstitution [WGH (MF) only]: 500 mg (vial) Injection, powder for reconstitution: 1 g	Code B
Venlafaxine	Capsule, extended release, oral: 37.5 mg, 75 mg	

Generic Name	Dosage Forms	Nurse Code
Verapamil	Injection, solution: 2.5 mg/mL (2 mL) Tablet, oral: 80 mg Tablet, oral [WGH (MF) only]: 120 mg Tablet, sustained release, oral, as hydrochloride: Isoptin® SR [WGH (MF), MS, FA, ATT]: 120 mg Isoptin® SR [WGH (MF), MS, FA, ATT]: 240 mg [scored]	
Warfarin	Tablet, oral, as sodium: 1 mg, 5 mg Tablet, oral, as sodium [WGH (MF) only]: 2 mg, 2.5 mg, 3 mg, 4 mg	Code B (1 mg tablet)
Water for Injection (Bacteriostatic)	Injection: 30 mL	
Water for Injection (Sterile)	Injection: 10 mL	
Xylometazoline	Solution, intranasal spray: 0.1% (20 mL)	Code C
Zinc Oxide	Bandage, paste [WGH (MF) only]: 7.5 cm x 6 m Ointment, topical: 15% (50 g)	Code A (40% cream)
Zinc Sulfate (Rectal)	Ointment, topical/rectal: 0.5% Suppository, rectal: 10 mg	
Zopiclone	Tablet, oral: 7.5 mg	