

APPENDIX A – References

- 1 Johnson DW. Croup. In: Gray J, editor. *Therapeutic Choices*, Fifth edition. Ottawa (ON): Canadian Pharmacists Association; 2007. p. 678-85.
- 2 Indomethacin CPhA monograph. In: Repchinsky C, editor. *Compendium of Pharmaceuticals and Specialties* 2008. Ottawa (ON): Canadian Pharmacists Association; 2008. p. 1113-5.
- 3 Rumour vs truth: meperidine is better than morphine for pancreatitis. *Canadian Pharmacist's Letter*. April 2003.
- 4 Palacioz K. Inappropriate meperidine use. *Canadian Pharmacist's Letter* 2001; 17(11):1711-17.
- 5 Phenytoin. In: Bedard M, editor. *The Ottawa Hospital Parenteral Drug Therapy Manual*, 28th edition. Ottawa (ON): The Ottawa Hospital; 2007.
- 6 Burns MJ et al. Decontamination of poisoned adults. May 2008. Retrieved August 13, 2008 from www.utdol.com/
- 7 Ansell J, Hirsh J et al. Pharmacology and Management of the Vitamin K Antagonists: American College of Chest Physicians Evidence-Based Clinical Practice Guidelines (8th Edition). *Chest* 2008; 133:160-198.
- 8 Knowles S, Shear NH. Scabies and Pediculosis. In: Gray J, editor. *Therapeutic Choices*, 5th edition. Ottawa (ON): Canadian Pharmacists Association; 2007 p.1089-97.
- 9 Silver Sulfadiazine. In Lexi-Comp Drug Information Handbook (electronic version). Retrieved December 22, 2008 from www.utdol.com/
- 10 Goldstein BG et al. Dermatologic procedures. May 2008. Retrieved August 15, 2008 from www.utdol.com/
- 11 DesGroseilliers JP. Psoriasis. In: Gray J, editor. *Therapeutic Choices*, 5th edition. Ottawa (ON): Canadian Pharmacists Association; 2007 p.1058-68.

APPENDIX B Recommended Nursing Station Crash Cart Medication List^a

TO BE GIVEN ONLY WITH APPROPRIATE TRAINING AND EQUIPMENT

♥adenosine 3 mg/mL (3 x 2 mL syringe)
♥amiodarone 150 mg/3 mL ampoule (3 x 3 mL)
ASA 81 mg chewable tabs (2)
♥atropine 0.1 mg/mL Pre-loaded syringe (3 x 10 mL syringe)
calcium chloride 1 g/10 mL Pre-loaded syringe (2 x 10 mL syringe)
dextrose 50% Pre-loaded syringe (2 x 50 mL)
diphenhydramine 50 mg/mL (2 x 1 mL)
♥dopamine 400 mg/250 mL bag (3 x 250 mL)
enoxaparin 100 mg/mL Pre-loaded syringe (3 x 1 mL)
♥epinephrine 1 mg/10 mL Pre-loaded syringe (5 x 10 mL syringe)
furosemide 10 mg/mL (2 x 2 mL)
glucagon kit (1)
insta-glucose (1)
♥labetalol 5 mg/mL (2 x 20 mL)
♥lidocaine 100 mg/5 mL Pre-loaded syringe (2 x 5 mL syringe)
magnesium sulfate 5 g/10 mL (2 x 10 mL)
♥metoprolol 1 mg/mL (2 x 5 mL)
naloxone 0.4 mg/mL (4 x 1 mL)
nitroglycerin patch 0.2 mg (2)
nitroglycerin spray 0.4 mg/spray (1)
oxytocin 10 IU/mL (2 x 1 mL)
pantoprazole 40 mg/mL (2 x 1 mL)
phenytoin 50 mg/mL (6 x 5 mL)
sodium bicarbonate 8.4%, 50 mEq/50 mL Pre-loaded syringe
[adult] (1 x 50 mL)
sodium bicarbonate 8.4%, 10 mL Pre-loaded syringe
[pediatric] (1 x 10 mL)
sodium bicarbonate 4.2%, 10 mL Pre-loaded syringe
[infant] (1 x 10 mL)
sodium chloride 0.9% (6 x 10 mL)

REFRIGERATOR

phentolamine
♥diltiazem

^a This list provides recommendations on medications and quantities which should be supplied on crash carts. Regions may decide to stock other formulary medications on their crash carts or in emergency drug boxes.