

Droplet Precautions



Y Jos	Hand Hygiene as per Routine Practices Hand hygiene is performed: V Before and after each client/patient/resident contact V Before performing invasive procedures V Before preparing, handling, serving or eating food V After care involving body fluids and before moving to another activity V Before putting on and after taking off gloves and other PPE V After personal body functions (e.g., blowing one's nose) V Whenever hands come into contact with secretions, excretions, blood and body fluids V After contact with items in the client/patient/resident's environment V Whenever there is doubt about the necessity for doing so
	Client/Patient/Resident Placement √ Single room with own toileting facilities if available, or maintain a spatial separation of at least 2 metres between the patient and others in the room, with privacy curtain drawn √ Door may remain open √ Perform hand hygiene on leaving the room
	Mask and Eye Protection or Face Shield √ Wear within 2 metres of the patient √ Remove and perform hand hygiene on leaving the room
	Environment and Equipment √ Dedicate routine equipment to the client/patient/resident (e.g., stethoscope, thermometer) √ Disinfect all equipment that comes out of the room √ All high-touch surfaces in the client/patient/resident's room must be cleaned at least daily
	Client/Patient/Resident Transport √ Patient to wear a mask during transport
	Visitors √ Non- household visitors must wear a mask and eye protection within 2 metres of the client/patient/resident √ Visitors must perform hand hygiene before entry and on leaving the room